

## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 1 of 8

INICIATIVAS Y PROYECTOS HOSTELEROS S.L.

CALLE NEWTON, 1. EDIFICIO 2. NAVES 8 Y 9, PARQUE EMPRESARIAL NEINOR, 28914 LEGANES  
(MADRID) SPAIN

### THIS REPORT IS TO SUPERSEDE TEST REPORT NO.SHAHG2105394701.

The following sample(s) was/were submitted and identified on behalf of the clients as : TABLETOP BEER  
DISPENSERS TRITON CLASSIC+ 3L AND 3L MINI (FINISHED PRODUCT EU)

SGS Job No. : NBHL2103003698CW - NB  
Buyer : INICIATIVAS Y PROYECTOS HOSTELEROS S.L.  
Item No. : PC MAKROLON 2456 550115 – 06PMON0210  
Country of Origin : CHINA  
Country of Destination : INTERNATIONAL  
Client Ref. Information : T3C+21000  
Date of Sample Received : 26 Mar 2021  
Testing Period : 26 Mar 2021 - 04 May 2021  
Test Requested : Selected test(s) as requested by client.  
Test Method : Please refer to next page(s).  
Test Results : Please refer to next page(s).

#### Result Summary :

Test Requested	Conclusion
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Overall migration	PASS
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of bisphenol A(BPA)	PASS
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of heavy metal and Ammonium	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CTC (Shanghai) Co., Ltd.  
Testing Center - China (Shanghai) Co., Ltd.

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn  
t HL (86-21) 61402594 f HL (86-21) 61156899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 2 of 8

Signed for and on behalf of  
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Danna Ji

Danna Ji  
Approved Signatory

scan to see the report



SHAHG2105394702 A01



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.  
Testing Center (China) Co., Ltd.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn  
t HL (86-21) 61402594 f HL (86-21) 61156899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 3 of 8

Test Results :

### Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	SHA21-053947.001	Transparent plastic part	PC

Remarks :

- (1) mg/dm<sup>2</sup> = milligram per square decimeter
- (2) mg/kg = milligram per kilogram
- (3) °C= degree Celsius
- (4) < = less than
- (5) MDL = Method Detection Limit
- (6) ND = Not Detected ( < MDL)

### (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Overall migration

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods;  
EN 1186-3: 2002 aqueous food simulants by total immersion method.

Simulant Used	Time	Temperature	Max. Permissible Limit	Result of 001 Overall migration	Conclusion
50% Ethanol (V/V) Aqueous Solution (Third migration)	240.0hr(s)	40°C	10mg/dm <sup>2</sup>	<3.0mg/dm <sup>2</sup>	PASS
50% Ethanol (V/V) Aqueous Solution (Second migration)	240.0hr(s)	40°C	-	<3.0mg/dm <sup>2</sup>	
50% Ethanol (V/V) aqueous solution (First migration)	240.0hr(s)	40°C	-	<3.0mg/dm <sup>2</sup>	
Stability			-	--	YES

Notes :

- (1) Analytical tolerance of aqueous simulants is 2 mg/dm<sup>2</sup> or 12 mg/kg.
- (2) Test condition & simulant were specified by client.

### (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of bisphenol A(BPA)

Test Method : With reference to EN 13130-1: 2004, analysis was performed by HPLC-FLD.

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 4 of 8

Test Condition : 40 °C 72.0 hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	First
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Specific migration of bisphenol A	-	mg/kg	0.01	ND

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	Second
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Specific migration of bisphenol A	-	mg/kg	0.01	ND

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	Third
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Specific migration of bisphenol A	0.05	mg/kg	0.01	ND
Stability	-	-	-	YES
<b>Conclusion</b>				<b>PASS</b>

Notes :

Test condition & simulant were specified by client

### (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation-Specific migration of heavy metal and Ammonium

Test Method : Ammonium: With reference to EN13130-1:2004, analysis was performed by IC.  
Heavy metal: With reference to EN13130-1:2004, analysis was performed by ICP-OES and ICP-MS.

### Sample 001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 5 of 8

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible</u> <u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	First
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Ammonium	-	mg/kg	0.5	ND

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible</u> <u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	Second
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Ammonium	-	mg/kg	0.5	ND

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible</u> <u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	Third
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Ammonium	-	mg/kg	0.5	ND

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible</u> <u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	First
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Arsenic(As)	ND	mg/kg	0.01	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Shanghai Technical Services (Shanghai) Co., Ltd.  
Testing Center - Chemical Laboratory

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

tE&E (86-21) 61402553 fE&E (86-21) 64953679 www.sgsgroup.com.cn  
tHL (86-21) 61402594 fHL (86-21) 61156899 e sgs.china@sgs.com



## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 6 of 8

Chromium(Cr)	ND	mg/kg	0.01	ND
Mercury(Hg)	ND	mg/kg	0.01	ND
Lead(Pb)	ND	mg/kg	0.01	ND
Aluminium(Al)	-	mg/kg	0.1	ND
Barium(Ba)	-	mg/kg	0.25	ND
Cobalt(Co)	-	mg/kg	0.01	ND
Copper(Cu)	-	mg/kg	0.25	ND
Iron(Fe)	-	mg/kg	5	ND
Lithium(Li)	-	mg/kg	0.1	ND
Manganese(Mn)	-	mg/kg	0.1	ND
Zinc(Zn)	-	mg/kg	0.5	ND
Nickel(Ni)	-	mg/kg	0.01	ND
Antimony(Sb)	-	mg/kg	0.01	ND
Europium (Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium (Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	-	mg/kg	-	ND
Potassium(K)	-	mg/kg	1	ND
Sodium(Na)	-	mg/kg	1	ND
Calcium(Ca)	-	mg/kg	1	ND
Magnesium(Mg)	-	mg/kg	1	ND

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

Test Item(s)	Max. Permissible Limit	Unit	MDL	Test result
Migration times	-	-	-	Second
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Arsenic(As)	-	mg/kg	0.01	ND
Cadmium(Cd)	-	mg/kg	0.002	ND
Chromium(Cr)	-	mg/kg	0.01	ND
Mercury(Hg)	-	mg/kg	0.01	ND
Lead(Pb)	-	mg/kg	0.01	ND
Aluminium(Al)	-	mg/kg	0.1	ND
Barium(Ba)	-	mg/kg	0.25	ND
Cobalt(Co)	-	mg/kg	0.01	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Shanghai Technical Services (Shanghai) Co., Ltd.  
Testing Center (China) Co., Ltd.

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgs.com.cn  
t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 7 of 8

Copper(Cu)	-	mg/kg	0.25	ND
Iron(Fe)	-	mg/kg	5	ND
Lithium(Li)	-	mg/kg	0.1	ND
Manganese(Mn)	-	mg/kg	0.1	ND
Zinc(Zn)	-	mg/kg	0.5	ND
Nickel(Ni)	-	mg/kg	0.01	ND
Antimony(Sb)	-	mg/kg	0.01	ND
Europium(Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium(Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	-	mg/kg	-	ND
Potassium (K)	-	mg/kg	1	ND
Sodium (Na)	-	mg/kg	1	ND
Calcium (Ca)	-	mg/kg	1	ND
Magnesium (Mg)	-	mg/kg	1	ND

### Sample 001

Simulant Used : 3% Acetic acid (W/V) aqueous solution

Test Condition : 40 °C 72.0 hr(s)

Test Item(s)	Max. Permissible Limit	Unit	MDL	Test result
Migration times	-	-	-	Third
Area/volume	-	dm <sup>2</sup> /kg	-	6.0
Arsenic(As)	ND	mg/kg	0.01	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND
Chromium(Cr)	ND	mg/kg	0.01	ND
Mercury(Hg)	ND	mg/kg	0.01	ND
Lead(Pb)	ND	mg/kg	0.01	ND
Aluminium(Al)	1	mg/kg	0.1	ND
Barium(Ba)	1	mg/kg	0.25	ND
Cobalt(Co)	0.05	mg/kg	0.01	ND
Copper(Cu)	5	mg/kg	0.25	ND
Iron(Fe)	48	mg/kg	5	ND
Lithium(Li)	0.6	mg/kg	0.1	ND
Manganese(Mn)	0.6	mg/kg	0.1	ND
Zinc(Zn)	5	mg/kg	0.5	ND
Nickel(Ni)	0.02	mg/kg	0.01	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 tE&E (86-21) 61402553 fE&E (86-21) 64953679 www.sgs.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 tHL (86-21) 61402594 fHL (86-21) 61156899 e sgs.china@sgs.com

## Test Report

No. SHAHG2105394702 A01

Date: 08 May 2021

Page 8 of 8

Antimony(Sb)	0.04	mg/kg	0.01	ND
Europium (Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium (Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	0.05	mg/kg	-	ND
Stability	-	-	-	YES
<b>Conclusion</b>				<b>PASS</b>
Potassium(K)	-	mg/kg	1	ND
Calcium(Ca)	-	mg/kg	1	ND
Sodium(Na)	-	mg/kg	1	ND
Magnesium(Mg)	-	mg/kg	1	ND

### Notes :

(1) Test condition & simulant were specified by client.

This report updates Item No.

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

tE&E (86-21) 61402553 fE&E (86-21) 64953679 www.sgsgroup.com.cn  
tHL (86-21) 61402594 fHL (86-21) 61156899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)